



ITEM NO	ID / OD (mm)	W.P. / B.P. (psi)	INNER TUBE	BRAID	JACKET (COATING)	FITTING TENSILE STRENGTH
WP08II	3.5/8.4	5,000/30,000	Nylon	Kevlar+ SUS wire	PU	278kgf







ITEM NO	ID / OD (mm)	W.P. / B.P. (psi)	INNER TUBE	BRAID	JACKET (COATING)	FITTING TENSILE STRENGTH
MP105	4.8/10.2	5,000/22,000	Nylon	Kevlar	Nylon	278kgf
Color	Black(BK), Green(DG)					







ITEM NO	ID / OD (mm)	W.P. / B.P. (psi)	INNER TUBE	BRAID	JACKET (COATING)	FITTING TENSILE STRENGTH
MP08	3.5/8.7	5,000/22,000	Nylon	Kevlar	Nylon	349kgf
Color	Black(BK), Olive green(LG)					







Features and Description :

ITEM NO.	I.D. / O.D. (mm)	W.P. / B.P. (psi)	INNER TUBE	BRAID	JACKET (COATING)	FITTING TENSILE STRENGTH
HP-08	3.5 / 8.4	5,000 / 20,000	Nylon	Kevlar	TPU	285 kgf
Color	Black (BK)					

HP high pressure scuba diving hose for scuba diving gauge/ SPG, 1ST stage





ITEM NO	ID / OD (mm)	W.P. / B.P. (psi)	INNER TUBE	BRAID	JACKET (COATING)	FITTING TENSILE STRENGTH
HP-105(RE)	4.8/10.5	5,000/20,000	Nylon	Kevlar	TPR	253kgf
Color	Black(BK)					





